

***BOULDER*[®]90**

SOLAR PANEL

USER GUIDE

 | GOALZERO.

HOW TO CONNECT: GOAL ZERO YETI PORTABLE POWER STATION

Connect the Boulder 90 to a Goal Zero Yeti Portable Power Station by plugging it into the 8mm input port on the front of the unit.



HOW TO CHAIN

Chain the Boulder 90 Solar Panel by using the 8mm to APP Combiner Cable available on GoalZero.com. This cable allows you to safely connect multiple Boulder Solar Panels together to recharge larger Goal Zero Yetis from the sun.

OPTIONAL CABLES

Goal Zero's **8mm Extension Cables** provide greater distance between your solar panels and your power stations. Purchase these from GoalZero.com.

TECHNICAL SPECIFICATIONS

Boulder 90 Solar Panel

Solar Panel

Rated Power	90W
Open Circuit Voltage	18-22V
Cell Type	Monocrystalline

Ports

Solar Port (blue, 8mm male)	14-22V, up to 6A (90W max)
-----------------------------	----------------------------

General

Weight	20.0 lbs (9.1 kg)
Dimensions	37.4 x 26.8 x 1.4 in (95 x 68 x 3.5 cm)
Certs	CE RoHS
Warranty	12 months

GOAL ZERO HEADQUARTERS

675 West 14600 South
Bluffdale, UT 84065
1-888-794-6250
Designed in the U.S.A.
Made in China

Boulder is a trademark of Goal Zero.

GOALZERO.COM

SM062017